


SEISMIC SURVEY DESIGN SOFTWARE

MESA

Acquisition Survey Design and 3D Modeling Software

The MESA software provides a flexible and robust toolkit to help optimize survey design and planning of land, OBS and marine projects.

Since MESA was introduced in 1993, our team has worked in collaboration with its worldwide client base of E&P companies and contractors to add functionality, improve performance, and enhance the user's workflow.




MESA's comprehensive suite of products:

- **MESA Field:** Provides the tools necessary to build, manipulate, and analyze survey designs. The focus is on the implementation of designs, including addressing daily operational requirements. MESA Field is ideal for users who need hands-on 3D acquisition planning capabilities in a streamlined package.
- MESA Professional: MESA Professional includes all of the functionality of MESA Field with expanded tools for analyzing, costing, and tracking seismic projects.


 Advanced geophysical attribute analysis, management of multiple projects, map projection transformation, import/export of GIS information, and streaming WMS imagery are only a few of the many essential design tools. Also included is a Gator™ interface for importing and efficiently analyzing OBS acquisition attributes. MESA geometries can be exported directly into MESA® SimSurvey™ for cost and time analysis.
- MESA Expert: The definitive 3D survey design package, incorporates all the features of MESA Professional with the tools to create subsurface illumination attributes through flexible and straightforward geologic model building and ray tracing. 3D visualization assists in the spatial interpretation of attribute diagnostics. VSP and cross-borehole surveys can be analyzed. MESA Expert also contains a two-way interface to NORSAR-3D*.

Key Benefits


- Provides advanced survey design and subsurface coverage analysis for land, OBS, and marine projects including multi-component and downhole geometries.
- ➤ Optimizes project planning through the analysis of a wide variety of geophysical attributes.
- > Offers fast and straightforward geologic modeling, raytracing, and target illumination analysis.



MESA Field



MESA Expert



MESA Professional

	MESA Field	MESA Professional	MESA Expert
Design layout Land and OBS layouts, SPS/SEGP import, unit template Multi-import of survey files Marine survey design, P1/90 import Downhole geometries, 2D crooked line Receiver deployment and retrieval windows for time-based templates Export to MESA SimSurvey time and motion analysis	*	✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓
Editing tools Source/receiver editing, editing undo/redo, spreadsheets Template editing Project notes with attachments, annotations	*	∀ ∀ ∀	∀ ∀ ∀
Bin analysis Bin grid definition and statistics CMP bin attribute displays of fold, offset, azimuth Offset vector tiles, cross spreads Bin attribute cross plots, rose diagrams Trace migration aperture and Fresnel Zone modeling 4D attribute analysis	✓	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
Exclusion zones Exclusion zone definition and export Perimeter polygon creation from fold coverage and survey extents Exclusion zone import from Shapefile and vector formats Exclusion zone statistics and analysis tools	*	✓ ✓ ✓	✓ ✓ ✓
Attribute displays Source/receiver attribute definition and display Project tracking tools Attribute-based filtering Histograms, cross plotting, pie charts Gator attribute import and analysis	✓ ✓ ✓	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
GIS features Map projection definition and translation (Blue Marble™) Web mapping service (WMS) KMZ import/export for use in Google Earth™		√ √ √	√ √ √
Utility functions Translation and rotation of survey coordinates Land survey statistics, spreadsheet export Cost analysis Export of industry standard data formats P1/11 format export Multiple project analysis and merging Pre-plot vs. post-plot coordinate comparison Synthetic trace generation 3D viewing window	* * * * * * * * * * * * * * * * * * *	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	
Model building and raytracing Geologic model building and model-based attribute display Raytracing (offset, image, normal, PS converted wave) Synthetic VSP generation CMP vs. CRP fold comparison Well log import, curve display, cross plotting, AVO analysis Model-based synthetic gathers NORSAR-3D* Interface			✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓

SERCEL CONCEPT

Beaverbank Business Park Logie Green Road 1 Logie Mill - Edinburgh EH7 4HG, Scotland

Telephone : (44) 131 557 5595 E-mail : csl-sales@sercel.com

SERCEL - FRANCE

16 rue de Bel Air

B.P. 30439 - 44474 CARQUEFOU Cedex

Téléphone : (33) 2 40 30 11 81 E-mail : sales.nantes@sercel.com SAS au capital de 25 000 000 €

Siège Social : 16 rue de Bel Air - 44470 CARQUEFOU

378.040.497 R.C.S. Nantes Code APE 2651B

SERCEL INC. - U.S.A.

17200 Park Row

Houston, Texas 77084 Telephone : (1) 281 492 6688

E-mail: sales.houston@sercel.com

www.sercel.com

© Sercel 06/24

Produced according to the Sercel environmental printing standard



